

Module 6 – Financial Accounting for MBAs, 6th Edition by Easton, Wild, Halsey & McAnally

Solutions to Practice Quiz

LO: 1

1. Answer: c

Accounts Receivable Turnover rates for 2005	
Procter & Gamble	$\$56,741 / [(\$4,062 + \$4,185) / 2] = 13.76$
Colgate-Palmolive.....	$\$11,397 / [(\$1,320 + \$1,309) / 2] = 8.67$

LO: 2

2. Answer: a

Inventory Turnover rates for 2006	
ANF	$\$933 / [(\$211 + \$363) / 2] = 3.25$
TJX.....	$\$12,295 / [(\$2,352 + \$2,366) / 2] = 5.21$

LO: 3

3. Answer: d

PPE turnover rates for 2005	
Texas Instruments	$\$13,392 / [(\$3,918 + \$3,899) / 2] = 3.43$
Intel Corp.	$\$38,826 / [(\$15,768 + \$17,111) / 2] = 2.36$

LO: 2

4. Answer: d

Pretax income has been reduced by \$697 million. Assuming a 35% tax rate, taxes have been reduced by $\$697 \times 0.35 = \244 million.

LO: 2

5. Answer: b

For 2005, the change in the LIFO reserve is an increase of \$130 million (\$1,132 million - \$1,002 million). This reduces pretax income by that amount (as compared to the taxable income that Deere would have reported had it used the FIFO system). Assuming a tax rate of 35%, Deere saved taxes of $\$130 \text{ million} \times 0.35 = \45.5 million in 2005 because it used the LIFO costing method.

LO: 3

6. Answer: a

$$\text{Percent used up} = \text{Accumulated depreciation} / \text{Asset cost} \\ = \$4,113 \text{ million} / (\$6,390 - \$79 - \$232) \text{ million} = 68\%$$

(Note: We eliminate land and construction in progress from the computation because land is never depreciated and construction in progress represents assets that are not in service yet and are, consequently, not depreciated).

Assuming that assets are replaced evenly as they are used up, we would expect assets to be 50% depreciated, on average. Deere's 68% is higher than this average. The implication is that Deere will require higher capital expenditures in the near future to replace aging assets.

LO: 1

7. Answer: a

Receivable turnover rate	
2004	$\frac{\$20,011}{\frac{\$2,714 + \$2,792}{2}} = 7.27$
2005	$\frac{\$21,167}{\frac{\$2,792 + \$2,838}{2}} = 7.52$

LO: 1

8. Answer: b

(\$ 000s)	2005
Accounts receivable (net)	\$518,625
Allowance for uncollectible accounts..	<u>18,401</u>
Gross accounts receivable	\$537,026
Percentage of uncollectible accounts to gross accounts receivable	3.43% ($\$18,401 / \$537,026$)

LO: 1

9. Answer: d

(all in \$ thousands consistent with Intuit's financial statements)
 Gross receivables as of 2005 are $\$86,125 + \$15,653 = \$101,778$.
 Average collection period (days sales in accounts receivable) is: $\$101,778 / (\$2,038,000 / 365) = 18.23$ days

LO: 3

10. Answer: c

$$\begin{aligned}\text{Average useful life} &= \text{Cost} / \text{Depreciation expense} \\ &= (\$12,760,421 - \$370,949 - \$920,599) / \$868,808 \\ &= 13.2 \text{ years}\end{aligned}$$

(Note: We eliminate land and construction in progress from the computation because land is never depreciated and construction in progress represents assets that are not in service yet and are consequently not depreciated).

The footnote indicates that buildings have estimated useful lives ranging from 10-50 years (27-year average) and Equipment from 3-20 years (11-year average).